

## Sectioning commands with critical notes in parallel columns

This file provides examples of using sectioning commands with reledpar. The section titles are in line numbering, and have critical notes.

The left and right sides are put in columns. We use \eledsectnotoc{L} to say we want the right titles be added to the table of contents, and not the left titles. We also use \eledsectmark{R} to use the right side to add L<sup>E</sup>T<sub>E</sub>X marks for headers.

We use the \reledxxx commands, each of them in their own \pstart . . . \pend group.  
Page clearings are manually added before chapter with \beforeeledchapter.



# Contents

<b>1</b>	<b>Right chapter</b>	<b>5</b>
1.1	Right section . . . . .	5
1.1.1	Right subsection . . . . .	5
1.2	Right section . . . . .	5
<b>2</b>	<b>Right chapter</b>	<b>7</b>
2.1	Right section . . . . .	7
2.1.1	Right subsection . . . . .	7
2.2	Right section . . . . .	7



# Chapter 1

## <sup>1</sup> Left chapter

<sup>2</sup> I use git to manage some packages.  
<sup>3</sup> I would like to add a pre-commit hook,  
<sup>4</sup> to check if I have forgotten For now,  
<sup>5</sup> I have a minimal pre-commit, which  
<sup>6</sup> tests only the blank spaces at ends of  
<sup>7</sup> lines, but not the forgotten..

### <sup>8</sup> 1.1 Left section

#### <sup>9</sup> 1.1.1 Left subsection

##### <sup>10</sup> Left subsubsection

<sup>11</sup> I use git to manage some packages.  
<sup>12</sup> I would like to add a pre-commit hook,  
<sup>13</sup> to check if I have forgotten For now,  
<sup>14</sup> I have a minimal pre-commit, which  
<sup>15</sup> tests only the blank spaces at ends of  
<sup>16</sup> lines, but not the forgotten.

### <sup>17</sup> 1.2 Left section

# Chapter 1

## Right chapter

<sup>1R</sup>

I use git to manage some packages.  
I would like to add a pre-commit hook,  
to check if I have forgotten For now,  
I have a minimal pre-commit, which  
tests only the blank spaces at ends of  
lines, but not the forgotten..

<sup>2R</sup>

<sup>3R</sup>

<sup>4R</sup>

<sup>5R</sup>

<sup>6R</sup>

<sup>7R</sup>

### 1.1 Right section

<sup>8R</sup>

#### 1.1.1 Right subsection

<sup>9R</sup>

##### Right subsubsection

<sup>10R</sup>

I use git to manage some packages.  
I would like to add a pre-commit hook,  
to check if I have forgotten For now,  
I have a minimal pre-commit, which  
tests only the blank spaces at ends of  
lines, but not the forgotten.

<sup>11R</sup>

<sup>12R</sup>

<sup>13R</sup>

<sup>14R</sup>

<sup>15R</sup>

<sup>16R</sup>

### 1.2 Right section

<sup>17R</sup>

---

<sup>1</sup> chapter ] chapitre

<sup>1</sup> chapter ] chapitre

<sup>9</sup> subsection ] sous-section

<sup>9</sup> subsection ] sous-section

<sup>10</sup> subsubsection ] sous-sous-section

<sup>10</sup> subsubsection ] sous-sous-section

18 I use git to manage some packages.  
19 I would like to add a pre-commit hook,  
20 to check if I have forgotten For now,  
21 I have a minimal pre-commit, which  
22 tests only the blank spaces at ends of  
23 lines, but not the forgotten.

I use git to manage some packages. 18R  
I would like to add a pre-commit hook, 19R  
to check if I have forgotten For now, 20R  
I have a minimal pre-commit, which 21R  
tests only the blank spaces at ends of 22R  
lines, but not the forgotten. 23R

# Chapter 2

## <sup>1</sup> Left chapter

<sup>2</sup> I use git to manage some packages.  
<sup>3</sup> I would like to add a pre-commit hook,  
<sup>4</sup> to check if I have forgotten For now,  
<sup>5</sup> I have a minimal pre-commit, which  
<sup>6</sup> tests only the blank spaces at ends of  
<sup>7</sup> lines, but not the forgotten..

### <sup>8</sup> 2.1 Left section

#### <sup>9</sup> 2.1.1 Left subsection

##### <sup>10</sup> Left subsubsection

<sup>11</sup> I use git to manage some packages.  
<sup>12</sup> I would like to add a pre-commit hook,  
<sup>13</sup> to check if I have forgotten For now,  
<sup>14</sup> I have a minimal pre-commit, which  
<sup>15</sup> tests only the blank spaces at ends of  
<sup>16</sup> lines, but not the forgotten.

### <sup>17</sup> 2.2 Left section

# Chapter 2

## Right chapter

<sup>1R</sup>

I use git to manage some packages.  
I would like to add a pre-commit hook,  
to check if I have forgotten For now,  
I have a minimal pre-commit, which  
tests only the blank spaces at ends of  
lines, but not the forgotten..

<sup>2R</sup>

<sup>3R</sup>

<sup>4R</sup>

<sup>5R</sup>

<sup>6R</sup>

<sup>7R</sup>

### 2.1 Right section

<sup>8R</sup>

#### 2.1.1 Right subsection

<sup>9R</sup>

##### Right subsubsection

<sup>10R</sup>

I use git to manage some packages.  
I would like to add a pre-commit hook,  
to check if I have forgotten For now,  
I have a minimal pre-commit, which  
tests only the blank spaces at ends of  
lines, but not the forgotten.

<sup>11R</sup>

<sup>12R</sup>

<sup>13R</sup>

<sup>14R</sup>

<sup>15R</sup>

<sup>16R</sup>

### 2.2 Right section

<sup>17R</sup>

---

<sup>1</sup> chapter ] chapitre

<sup>1</sup> chapter ] chapitre

<sup>9</sup> subsection ] sous-section

<sup>9</sup> subsection ] sous-section

<sup>10</sup> subsubsection ] sous-sous-section

<sup>10</sup> subsubsection ] sous-sous-section

18        I use git to manage some packages.  
19        I would like to add a pre-commit hook,  
20        to check if I have forgotten For now,  
21        I have a minimal pre-commit, which  
22        tests only the blank spaces at ends of  
23        lines, but not the forgotten.

I use git to manage some packages. 18R  
I would like to add a pre-commit hook, 19R  
to check if I have forgotten For now, 20R  
I have a minimal pre-commit, which 21R  
tests only the blank spaces at ends of 22R  
lines, but not the forgotten. 23R